_ (J	JU	ᆮ	<u>ا</u> د.	abiisiiiieiit iiispectioii	Report						Sco	ore: <u>9</u>	<u> </u>	_
Es	tak	olis	hn	ner	t Name: SIMPLY SOUTHERN CUISINE	-				F	Esta	ablishment ID: 3034020582			
					ess: 3570-C CLEMMONS RD					_		X Inspection ☐ Re-Inspection			
Cit	v:	CL	EM	MOI	NS	State: NC			D	ate	e: 1	Ø / 21 / 2014 Status Code: A			
City: CLEMMONS State: NC State: NC County: 34 Forsyth							Time In: $09:45^{\otimes}_{0pm}$ Time Out: $11:15^{\otimes}_{0pm}$ am								
			ee:		HAMPTON SQUARE CATERING & TAKE							me: 1 hr 30 minutes	'		
				_					C	ate	egoi	ry #: _IV			
	-				336) 712-4636				FI	DΑ	Es	tablishment Type:			
					System: Municipal/Community [ster	n				Risk Factor/Intervention Violations:)		
W	ate	r S	up	ply	y: ⊠Municipal/Community ☐ On-	Site Supply			N	0.	of F	Repeat Risk Factor/Intervention Viola	tions:		_
Foodborne Illness Risk Factors and Public Health Interver Risk factors: Contributing factors that increase the chance of developing foodborne illness or injury.					oorne illness.	Good Retail Practices Good Retail Practices: Preventative measures to control the addition of pathogens, che and physical objects into foods.					gens, chen	nicals,			
	IN	OUT	N/A	N/O	Compliance Status	OUT CDI R VR					N/O		OUT	CDI R V	R
_		rvisi	$\overline{}$.2652 PIC Present: Demonstration-Certification by						nd Wa	,,			
			□ e He	alth	accredited program and perform duties .2652		-			×		Pasteurized eggs used where required	1 0.5 0		4
	IIIPI X	П	е пе		Management, employees knowledge; responsibilities & reporting	3 1.5 0		×			+	Water and ice from approved source	2 1 0	+	4
-	X				Proper use of reporting, restriction & exclusion	31.50				X		Variance obtained for specialized processing methods	1 0.5 0]
_		Hy	gieni	ic Pr	ractices .2652, .2653			ood	Ten	npei	ratur	e Control .2653, .2654 Proper cooling methods used; adequate	1 0.5 0		7
\neg	×				Proper eating, tasting, drinking, or tobacco use	210	 				+	equipment for temperature control			4
5	X				No discharge from eyes, nose or mouth	1 0.5 0	l				+	Plant food properly cooked for hot holding	1 0.5 0		╣
Р	reve	ntin	g Co	ontai	mination by Hands .2652, .2653, .2655, .2656		١⊢	×			+	Approved thawing methods used	1 0.5 0		4
6	X				Hands clean & properly washed	420		×		1.0	\perp	Thermometers provided & accurate	1 0.5 0		4
7	×				No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5 0		ood	Ider	ntifi	catio	n .2653 Food properly labeled: original container	2 1 0		╣
8	×				Handwashing sinks supplied & accessible	210	_		ntio	n o	\perp	od Contamination .2652, .2653, .2654, .2656, .2657			
-		ovec	So	urce	·		1 —	×				Insects & rodents not present; no unauthorized animals	2 1 0]
9	X				Food obtained from approved source	210	37	×				Contamination prevented during food preparation, storage & display	2 1 0		╗
10				X	Food received at proper temperature	210	l	×				Personal cleanliness	1 0.5 0		╡
11	X				Food in good condition, safe & unadulterated	210	l	×				Wiping cloths: properly used & stored	1 0.5 0		╡
12			X		Required records available: shellstock tags, parasite destruction	210	l	×	П			Washing fruits & vegetables	1 0.5 0	_	╡
_	rote 🔀	ctio	n fro		Contamination .2653, .2654		l —		드			ensils .2653, .2654			
\rightarrow		_	Ш	Ш	Food separated & protected	3 1.5 0	41	×				In-use utensils: properly stored	1 0.5 0		3
-	X				Food-contact surfaces: cleaned & sanitized Proper disposition of returned, previously served,	3 1.5 0	42	×				Utensils, equipment & linens: properly stored, dried & handled	1 0.5 0		1
	X otor	L	v Ha	272r/	reconditioned, & unsafe food dous Food TIme/Temperature .2653	210	43	×				Single-use & single-service articles: properly stored & used	1 0.5 0		╗
$\overline{}$	X		у па		Proper cooking time & temperatures	3 1.5 0	╌	\boxtimes	П			Gloves used properly	1 0.5 0		╗
\dashv	\mathbf{X}	_			Proper reheating procedures for hot holding	31.50	-		ഥ	and	Equi	pment .2653, .2654, .2663			
18	X				Proper cooling time & temperatures	31.50	45		×			Equipment, food & non-food contact surfaces approved, cleanable, properly designed, constructed, & used	2 🗶 0		
19				X	Proper hot holding temperatures	3 1.5 0	46	×				Warewashing facilities: installed, maintained, & used; test strips	1 0.5 0		
20	X				Proper cold holding temperatures	3 1.5 0	1	×				Non-food contact surfaces clean	1 0.5 0		
21	X				Proper date marking & disposition	3 1.5 0		$\overline{}$			ilities				
22			X		Time as a public health control: procedures & records	210	-	×	-			Hot & cold water available; adequate pressure	2 1 0		4
\neg	ons	ume	$\overline{}$	dviso	ory .2653 Consumer advisory provided for raw or		49	1	×			Plumbing installed; proper backflow devices	2 🗶 0	×	4
23	iabl	\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\\	X	ntib	undercooked foods le Populations .2653	1 0.5 0	i —	×				Sewage & waste water properly disposed	2 1 0		4
24	_	y St	X	ptibi	Pasteurized foods used; prohibited foods not	3 1.5 0	51	×				Toilet facilities: properly constructed, supplied & cleaned	1 0.5 0		1
		nical			.2653, .2657		52	×				Garbage & refuse properly disposed; facilities maintained	1 0.5 0]
25	X				Food additives: approved & properly used	10.50	53		X			Physical facilities installed, maintained & clean	1 🗷 0		Ī
26	X				Toxic substances properly identified stored, & used	210	54	×				Meets ventilation & lighting requirements; designated areas used	1 0.5 0]
				with	h Approved Procedures .2653, .2654, .2658							Total Deductions:	2.5		
27	ıΠ				Compliance with variance, specialized process,		H					ו טומו שבעענוטווא.	1		





Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

	t Name: SIMPLY SOL	UTHERN C	CUISINE		Establish	nment ID) :_3034020582		
Location Add	dress: 3570-C CLEMN	MONS RD			⊠Inspec	tion [Re-Inspection	Date: 10/21	/2014
City: CLEMM	IONS		St	ate: NC_	Comment A	Addendum	Attached?	Status Cod	le: A
County: 34 F			Zip: 27012					Category #	
	/stem: 🗵 Municipal/Comn				Email 1:				
Water Supply:									
_		ATERING	α IANE		Email 2:				
l elephone:_	(336) 712-4636				Email 3:				
lt a co	I and Care	T	<u>.</u>	erature Ob	oservatio		li	L C	T
	Location upright cooler	Temp 38	Item Hot water	Location prep sink		Temp 135	Item	Location	Temp
"taco" chicken	upright cooler	35	sanitizer	Bottle (ppm	1)	100			
refried beans	upright cooler	37	sanitizer	three comp	sink (ppm)	100			
shreaded	upright cooler (front)	45							
mac and	final cook	205							
chicken pie	final cook	198	-						
ambient air	upright cooler	18,9							
ambient air	reach in cooler	14.9							
	ood Repair and Prop m upright everest refr				ets torn on	back up			landle is
missing from 5-203.14 Baan atmosph a back flow Equip a back CDI: Persor	ackflow Prevention D neric back flow prever preventer rated for c ck flow preventer rate n in charge disconne	Device, Who ter. Whe continuous ed for conticted the h	nen Required n a hose is e s pressure ap tinuous press nose from the	ent shall be n I - P Hose with equipped with oplications is used to be applicated to be those bibb. Compared to the compared	h spray noz a spray noz required to ons to the h	zzle attac zzle a so protect those bibb 5.15 Syst	ched to outside hourse of continuous water supply for disconnect the em Maintained in	ose bibb, wate us pressure is rom back siph e hose after e n Good Repain	er supply has created and lonage. each use. r - P Three
missing from 5-203.14 Ba an atmosph a back flow Equip a back CDI: Persor	ackflow Prevention D neric back flow prever preventer rated for c ck flow preventer rate n in charge disconner nt sink faucet is leaki	Device, Who ter. Whe continuous ed for conticted the h	nen Required n a hose is e s pressure ap tinuous press nose from the	ent shall be n I - P Hose with equipped with oplications is used to be applicated to be those bibb. Compared to the compared	h spray noz a spray noz required to ons to the h	zzle attac zzle a so protect those bibb 5.15 Syst	ched to outside hourse of continuous water supply for disconnect the em Maintained in	ose bibb, wate us pressure is rom back siph e hose after e n Good Repain	er supply has created and lonage. each use. r - P Three
missing from 5-203.14 Ba an atmosph a back flow Equip a back CDI: Persor compartmen repair. Repair 6-201.11 Flowhere caulk be tightened	ackflow Prevention D neric back flow prever preventer rated for c ck flow preventer rate n in charge disconner nt sink faucet is leaki	evice, Whenter. Whenter. Whenter the hing at the hing at the hing at the hing and bow wall. Ceili	nen Required in a hose is e is pressure ap tinuous press nose from the handles. Wa nability - C Ba out, caulking ing grid in the	ent shall be not s	h spray noz a spray noz a spray noz required to ons to the h DI. // 5-205 stems, inclu- the restroo iround the t	zzle attac zzle attac zzle a so protect th lose bibb 5.15 Syst iding plur m and wa oilet. Spl rusted an	ched to outside he urce of continuous me water supply find or disconnect the em Maintained in mbing fixtures, share washing room ash guard by har	ose bibb, wateus pressure is rom back siphe hose after en Good Repair hall be maintain need to be redwashing sin	er supply has created and nonage. each use. r - P Three ined in good recaulked ik needs to
missing from 5-203.14 Base an atmosphs a back flow Equip a back CDI: Persor compartment repair. Repairs 6-201.11 Flowhere caulk be tightened ceilings sha	ackflow Prevention D neric back flow preventer rated for c ck flow preventer rate in charge disconner nt sink faucet is leaki air the leak.	Device, Wheten the continuous ed for conficted the ring at the mgs-Clear el and bow wall. Ceiliood condi	nen Required in a hose is e is pressure ap tinuous press nose from the handles. Wa nability - C Ba out, caulking ing grid in the	ent shall be not s	h spray noz a spray noz a spray noz required to ons to the h DI. // 5-205 stems, inclu- the restroo iround the t	zzle attac zzle attac zzle a so protect th iose bibb 5.15 Syst iding plur m and wa ioilet. Spl rusted an ed items.	right refrigerator a epair. Repair note thed to outside he urce of continuous ne water supply fi or disconnect the em Maintained in mbing fixtures, sh are washing roon ash guard by har d needs to be rep	ose bibb, wateus pressure is rom back siphe hose after en Good Repainall be maintain need to be redwashing sin paired. Floors	er supply has created and nonage. each use. r - P Three ined in good ecaulked ak needs to walls and
missing from 5-203.14 Ba an atmosph a back flow Equip a back CDI: Persor compartmen repair. Repair 6-201.11 Flowhere caulk be tightened	ackflow Prevention D neric back flow preventer rated for c ck flow preventer rate in charge disconner nt sink faucet is leaki air the leak.	Device, Wheter. Wheter where the continuous ed for continuous ed f	nen Required n a hose is e s pressure ap tinuous press nose from the handles. Wa nability - C Ba out, caulking ing grid in the ition to facilita	ent shall be not s	h spray noz a spray noz a spray noz required to ons to the h DI. // 5-205 stems, inclu- the restroo iround the t ng room is r Repair note	zzle attac zzle attac zzle a so protect th iose bibb 5.15 Syst iding plur m and wa ioilet. Spl rusted an ed items.	right refrigerator a epair. Repair note thed to outside he urce of continuous ne water supply fi or disconnect the em Maintained in mbing fixtures, sh are washing roon ash guard by har d needs to be rep	ose bibb, wateus pressure is rom back siphe hose after en Good Repainall be maintain need to be redwashing sin paired. Floors	er supply has created and nonage. each use. r - P Three ined in good ecaulked ak needs to walls and
missing from 5-203.14 Base an atmosphs a back flow Equip a back CDI: Persor compartment repair. Repairs 6-201.11 Flowhere caulk be tightened ceilings share. Person in Charge	ackflow Prevention D neric back flow preventer rated for c ck flow preventer rate in charge disconner nt sink faucet is leaki air the leak.	pevice, Wheter. Wheter where the continuous ed for conticted the hing at the many wall. Ceill ood conditions.	nen Required n a hose is e s pressure ap tinuous press nose from the handles. Wa nability - C Ba out, caulking ing grid in the ition to facilita	ent shall be not s	h spray noz a spray noz required to ons to the h cDI. // 5-205 stems, inclu the restroo iround the t ng room is r Repair note	zzle attac zzle attac zzle a so protect th iose bibb 5.15 Syst iding plur m and wa ioilet. Spl rusted an ed items.	ched to outside he urce of continuous me water supply find or disconnect the em Maintained in mbing fixtures, share washing room ash guard by har	ose bibb, wateus pressure is rom back siphe hose after en Good Repainall be maintain need to be redwashing sin paired. Floors	er supply has created and nonage. each use. r - P Three ined in good ecaulked ak needs to walls and

REHS ID: 2450 - Chrobak, Joseph
REHS Contact Phone Number: (336)703 - 3164



Establishment Name: SIMPLY SOUTHERN CUISINE Establishment ID: 3034020582

Observations and Corrective Actions





Establishment Name: SIMPLY SOUTHERN CUISINE Establishment ID: 3034020582

Observations and Corrective Actions





Establishment Name: SIMPLY SOUTHERN CUISINE Establishment ID: 3034020582

Observations and Corrective Actions





Establishment Name: SIMPLY SOUTHERN CUISINE Establishment ID: 3034020582

Observations and Corrective Actions



