Food Establishment Inspection Report							Score: <u>97</u>	
Establishment Name: THE GREEK GRILL Establishment ID: 3034012284								
Location Address: 1520 LEWISVILLE CLEMMONS RD	·					⊠Inspection □Re-Inspection		
City: CLEMMONS	State: NC		_ [Da	te: (04/21/2017 Status Code: A	۱ <u>ــــــــــــــــــــــــــــــــــــ</u>	
Zip: 27012 County: 34 Forsyth Time In: $\cancel{01}$: $\cancel{45} \otimes pm$ Time Out: $\cancel{03}$: $\cancel{45}$								
						ime: 2 hrs 0 minutes	0 p	
Permittee:Category #_ IV								
Telephone: (336) 293-4777								
No of Risk Factor/Intervention Violations ²								
Water Supply: Municipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations:								
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness. Public Health Interventions: Control measures to prevent foodborne illness or injury.							athogens, chemicals,	
IN OUT N/A N/O Compliance Status	OUT CDI R VR		ιν οι	JT N	N/A N/O	Compliance Status	OUT CDI R VR	
Supervision .2652				-	and W	ater .2653, .2655, .2658		
□ □ □ □ accredited program and perform duties		28	_		×	Pasteurized eggs used where required		
Employee Health .2652 2 Image: Comparison of the property of the proper	31.50	29				Water and ice from approved source	210	
					X	Variance obtained for specialized processing methods	10.50	
3 X Proper use of reporting, restriction & exclusion Good Hygienic Practices .2652, .2653					peratu	e Control .2653, .2654 Proper cooling methods used; adequate		
4 X Proper eating, tasting, drinking, or tobacco use	210	31		_		equipment for temperature control		
5 🕅 🗆 No discharge from eyes, nose or mouth						Plant food properly cooked for hot holding		
Preventing Contamination by Hands .2652, .2653, .2655, .2656		33				Approved thawing methods used		
6 🛛 🗆 Hands clean & properly washed	420	34				Thermometers provided & accurate	10.50	
7 🛛 🗆 🗆 🗠 No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	31.50			_	ificatio			
8 X - Handwashing sinks supplied & accessible	210					Food properly labeled: original container od Contamination .2652, .2653, .2654, .2656,		
Approved Source .2653, .2655		36				Insects & rodents not present; no unauthorized	210	
9 🕅 🗆 Food obtained from approved source	210	37	_	_		animals Contamination prevented during food		
10 Food received at proper temperature	210		_	_		preparation, storage & display		
11 X Food in good condition, safe & unadulterated	210	38		-		Personal cleanliness		
12 C Required records available: shellstock tags, parasite destruction	210	39	_	_	_	Wiping cloths: properly used & stored		
Protection from Contamination .2653, .2654		40				Washing fruits & vegetables		
13 Image: Second separated & protected	3150	41			e of Ut	ensils .2653, .2654 In-use utensils: properly stored		
14 Image: Second and Second an	31.5 🗙 🗙 🗆 🗆	42	_	+		Utensils, equipment & linens: properly stored,		
15 Image: Second seco	210		_	-		dried & handled		
Potentially Hazardous Food Time/Temperature .2653		43	_	-		Single-use & single-service articles: properly stored & used		
16 X Proper cooking time & temperatures	3 1.5 0	44				Gloves used properly		
17 Image: Second strain Proper reheating procedures for hot holding	31.50				10 Equ	ipment .2653, .2654, .2663 Equipment, food & non-food contact surfaces		
18 Image: Description of the second seco	31.50	45				approved, cleanable, properly designed, constructed, & used		
19 🛛 🗆	31.50	46				Warewashing facilities: installed, maintained, & used; test strips	10.50	
20 🛛 🗆 🗆 Proper cold holding temperatures	31.50	47		ו		Non-food contact surfaces clean	10.50	
21 🛛 🗆 🗆 Proper date marking & disposition	31.50		-	Т	acilitie	s .2654, .2655, .2656		
22 Time as a public health control: procedures & records	210 🗆 🗆 🗆	48	_			Hot & cold water available; adequate pressure	210	
Consumer Advisory .2653		49]		Plumbing installed; proper backflow devices	210 🗆 🗆	
23 Consumer advisory provided for raw or undercooked foods		50				Sewage & waste water properly disposed	210	
Highly Susceptible Populations .2653 24 Image: State and the st		51][Toilet facilities: properly constructed, supplied & cleaned	10.50	
24 Chemical Pasteurized roods used; prohibited roods not		52		╗		Garbage & refuse properly disposed; facilities maintained	10.50	
25 C Kood additives: approved & properly used	1050	53		3		Physical facilities installed, maintained & clean		
26 🛛 🗌 🗌 Toxic substances properly identified stored, & used	210000	54		-		Meets ventilation & lighting requirements;		
Conformance with Approved Procedures .2653, .2654, .2658				-1		designated areas used		
27 Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	210					Total Deduction		
North Carolina Department of Health & Human Servic	es ● Division of Pu DHHS is an equal o						cr cr	

 Human Services
 ● Division of Public Health
 ● Environmenta

 DHHS is an equal opportunity employer.

 3
 Page 1 of _____
 Food Establishment Inspection Report, 3/2013

CR Off

Comment Addendum to Food Establishment Inspection Report

Establishment	Name [.]	THE	GREEK	GRILL

Establishment ID: 3034012284

Location Ad	dress: 1520 LEWISVILLE C	LEMMONS RD
City: CLEMM		State: NC
County: 34	Forsyth	Zip: 27012
Wastewater S	ystem: 🛛 Municipal/Community	On-Site System
Water Supply:	X Municipal/Community	On-Site System
Permittee:	THE GREEK GRILL LLC	

 ☑ Inspection
 □ Re-Inspection
 Date: 04/21/2017

 Comment Addendum Attached?
 □
 Status Code: A

Status Code: <u>A</u> Category #: ^{IV}

Email 1: yalonzo2@gmail.com

Е	mail	2
_		_

Telephone: (336) 293-4777

1

Email	3:

Temperature Observations								
ltem Chicken	Location Final cook	Temp 183	ltem Quat ppm	Location Bucket	Temp 300	Item	Location	Temp
Marinara	Hot hold	141	Chlorine ppm	Bottle	50			
Chicken	Hot hold	147	Tomatoes	Reach-in cooler	40			
Lettuce	Make unit	43	Rotisserie	Walk-in cooler, cooling	63			
Lettuce	Make unit 2	44	Ham	Walk-in cooler	44			
Turkey	Make unit	40	Turkey	Walk-in cooler	43	,		
Hot water	3-compartment sink	126	Ambient	Sauce upright cooler	38			
Quat ppm	3-compartment sink	300						

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

2-102.12 Certified Food Protection Manager - C - The certified food protection manager was not present during the beginning of the inspection. At least one employee shall be a certified food protection manager from an ANSI-accredited program. One certified employee shall be present during all hours of operation. Obtain certification.

14 4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - P - 0 pts - Food debris present on the blade of the can opener. Food contact surfaces of equipment and utensils shall be clean to sight and touch. CDI - Can opener washed, rinsed, and sanitized.//4-602.11 Equipment Food-Contact Surfaces and Utensils-Frequency - C - 0 pts - Light soil inside of the ice machine. Ice machines shall be cleaned at a frequency to prevent contamination. Clean frequently.

35 3-302.12 Food Storage Containers Identified with Common Name of Food - C - 0 pts - Label sauce and seasoning containers (around 5) throughout the kitchen and near the back prep sink. Food that is removed from it's original packaging and is not easily recognizable shall be labeled with the common name of the food.

Person in Charge (Print & Sign):	<i>First</i> Guillermo	Cruz	Last	GI. (NUZ	
Regulatory Authority (Print & Sign)	<i>First</i> Grayson :	Hodge	Last	Grayor Hody	<u>e REHET</u>
REHS ID	: 2554 - Hodge, Gr	ayson		Verification Required Date: / / /	
REHS Contact Phone Numbe	r: (<u>336</u>) <u>703</u> - <u>3</u>	<u>3383</u>			
North Carolina Department	of Health & Human Services DH Bage 2 of 3	IHS is an equal o	ublic Health Environment Environment Inspection Report	r. Ö	m

√ Spell

Comment Addendum to Food Establishment Inspection Report

Establishment Name: THE GREEK GRILL

Establishment ID: 3034012284

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

Spell

- 3-304.12 In-Use Utensils, Between-Use Storage C 0 pts 2 scoops handles were stored in contact with the food. Scoop handles 41 shall be stored upright and not touching the food. Scoop handles adjusted.
- 6-201.11 Floors, Walls and Ceilings-Cleanability C Repeat: Ceiling paint is chipping above the make unit. Remove unused caulk 53 on the wall behind the back prep sink. Floors, walls, and ceilings shall be smooth and easily cleanable.//6-501.12 Cleaning, Frequency and Restrictions - C - Wall cleaning needed behind the ice machine near the ceiling. Floors, walls, and ceilings shall be kept clean.
- 6-303.11 Intensity-Lighting C Repeat: Lighting is low at the salad make unit (29 foot candles), at the women's toilet (10 ft/c), and 54 at the men's restroom fixtures (9-10 ft/c). Lighting shall be at least 20 foot candles at restroom fixtures and 50 foot candles at food preparation areas. Increase lighting.





Establishment Name: THE GREEK GRILL

Establishment ID: 3034012284

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



√ Spell Establishment Name: THE GREEK GRILL

Establishment ID: 3034012284

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment Name: THE GREEK GRILL

Establishment ID: 3034012284

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

