	UC)U	E	SI	abiisnment inspection	і кер	ort				Sci	ore	: :	97	7.5	<u>5 </u>
Establishment Name: SUBWAY #34284								Establishment ID: 3034011809								
Location Address: 3277 ROBINHOOD RD																
							Date: 07 / 25 / 2014 Status Code: A									
•							Time In: $01 : 45 \otimes pm$ Time Out: $03 : 45 \otimes pm$									
Zip: 27106 County: 34 Forsyth						Total Time: 2 hrs 0 minutes										
Permittee: TOWNSEND RESTAURANT GROUP, INC.						Category #: III										
Telephone: (336) 760-1917							_		-			_				
Wastewater System: ⊠Municipal/Community ☐ On-Site Sys						stem	FDA Establishment Type:									
Water Supply: ⊠Municipal/Community ☐ On-Site Supply						No. of Risk Factor/Intervention violations: 2										
_	vater Supply: Mo. of Repeat Risk Factor/Intervention Violations:									_						
Foodborne Illness Risk Factors and Public Health Interventions							Good Retail Practices									
Risk factors: Contributing factors that increase the chance of developing foodborne illness. Public Health Interventions: Control measures to prevent foodborne illness or injury.							Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.									
_				DI R VR								R VR				
S	Supervision .2652				Safe Food and Water											
1	X				PIC Present; Demonstration-Certification by accredited program and perform duties	2 0		28 🗆		X	Pasteurized eggs used where required	1	0.5	0		
E	mpl		e He	alth	.2652			29 🔀			Water and ice from approved source	2	1	0 [
2		X			Management, employees knowledge; responsibilities & reporting	3 🗙 0		30 🗆	П	X	Variance obtained for specialized processing	1	0.5	0 [7	丗
3	X				Proper use of reporting, restriction & exclusion	3 1.5 0			Tem		methods ure Control .2653, .2654					
(Ну	gieni	ic Pr	ractices .2652, .2653			31 🔀			Proper cooling methods used; adequate equipment for temperature control	1	0.5	0 [攌
4	X				Proper eating, tasting, drinking, or tobacco use	2 1 0		32 🔀	П	ПГ	Plant food properly cooked for hot holding	1	0.5	0 [7	丗
5	X				No discharge from eyes, nose or mouth	1 0.5 0		33 🔀	\vdash		Approved thawing methods used	1	0.5		7 -	ਜ
		ntin	g Co	onta	mination by Hands .2652, .2653, .2655, .2656			34 🔀	\vdash					0 [7 -	+
6	X	Ш			Hands clean & properly washed	4 2 0			-	ntificat	Thermometers provided & accurate	Ľ	0.3	Ш	-11	
7	X				No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	3 1.5 0		35	luei	itiiicai	Food properly labeled: original container	2	1	010	T	T
8		X			Handwashing sinks supplied & accessible	21 🗶	$\mathbf{x} \Box \Box$		entio	n of F	ood Contamination .2652, .2653, .2654, .2656, .265	7				
		ovec	l Soi	urce	.2653, .2655			36 🔀			Insects & rodents not present; no unauthorized animals	2	1	0		可
9	X				Food obtained from approved source	2 1 0		37 🗆	×		Contamination prevented during food	2	1	X D	a	77
10	X				Food received at proper temperature	210		38 🔀	\vdash		preparation, storage & display Personal cleanliness	\vdash	\dashv	0 [+	56
11	X				Food in good condition, safe & unadulterated	210		39 🔀			Wiping cloths: properly used & stored	1	=	0 [7 -	詽
12			X		Required records available: shellstock tags, parasite destruction	210		l 	H		1 0 1 1 7	H			_ _	#
		ctio	n fro	m C	Contamination .2653, .2654			40 🗵		L of L	Washing fruits & vegetables Jtensils .2653, .2654	1	0.5	0 [_ -	
13	X				Food separated & protected	3 1.5 0				Se oi c	In-use utensils: properly stored	1	0.5	0 [71	
14	X				Food-contact surfaces: cleaned & sanitized	3 1.5 0		42 🔀			Utensils, equipment & linens; properly stored.	+	0.5	+		$\exists \exists$
15	X				Proper disposition of returned, previously served, reconditioned, & unsafe food	210					dried & handled Single-use & single-service articles: properly	Н				
F		ntiall	ly Ha	azaro	dous Food Time/Temperature .2653			43 🔀	\vdash		stored & used	1	0.5		4	44
16	X	Ц	Ш	Ш	Proper cooking time & temperatures	3 1.5 0	<u> </u>	44	\Box		Gloves used properly	1	0.5	0		끧
17	X				Proper reheating procedures for hot holding	3 1.5 0		Utens		ind Ed	uipment .2653, .2654, .2663 Equipment, food & non-food contact surfaces	П	T.	T	T	\blacksquare
18	X				Proper cooling time & temperatures	3 1.5 0		45 □	X		approved, cleanable, properly designed, constructed, & used	2		X C		
19	X				Proper hot holding temperatures	3 1.5 0		46 🗵			Warewashing facilities: installed, maintained, & used; test strips	1	0.5	0		30
20	X				Proper cold holding temperatures	3 1.5 0		47 🔀			Non-food contact surfaces clean	1	0.5	0 [7	面
21	X				Proper date marking & disposition	3 1.5 0		1—	ical I	Facilit	ies .2654, .2655, .2656					
22	П	П	×	П	Time as a public health control: procedures &	210	700	48 🔀			Hot & cold water available; adequate pressure	2	1	0 [
	ons	ume	er Ad	lviso	records ory .2653			49 🔀			Plumbing installed; proper backflow devices	2	1	0 [司
23			X		Consumer advisory provided for raw or undercooked foods	1 0.5 0		50 🗷			Sewage & waste water properly disposed	2	1	0 [司
ŀ	lighl	y Sı	isce	ptibl	le Populations .2653			51 🔀			Toilet facilities: properly constructed, supplied	1	0.5	0 [7	ਜੀ
			X		Pasteurized foods used; prohibited foods not offered	3 1.5 0		52 🔀		_	& cleaned Garbage & refuse properly disposed; facilities	1		0 [- -	卅
	hen	nical			.2653, .2657			+	-		maintained	П	7	#	_ L	#
25	X	<u>Ц</u>	Ш		Food additives: approved & properly used	1 0.5 0		53 🗆	×		Physical facilities installed, maintained & clean Mosts ventilation & lighting requirements:	+	×	+	<u> </u>	44
26	X				Toxic substances properly identified stored, & used	210		54 🗆	X		Meets ventilation & lighting requirements; designated areas used	1	×	0 [<u> </u>
27	onfo	orma	ance	with	h Approved Procedures .2653, .2654, .2658 Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan.	210					Total Deductions:	2.	5			
41	\Box	\Box			I reduced ovviden nacking criteria or HACCD plan	ـا الكالــــالكار	الا اللارك	11				1				



Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan



	nt Name: SUBWAY	#34284			Establishment II):_3034011809		
Location Ad City: WINST County: 34		IHOOD RD	Sta	ate: NC	☑ Inspection ☐ Comment Addendum	·	Date: 07/25/2014 Status Code: A Category #:	
Wastewater S Water Supply	Vastewater System: ☒ Municipal/Community ☐		On-Site System On-Site System		Email 1: Email 2:		Category #	
Telephone:	(336) 760-1917				Email 3:			
			Tempe	erature O	bservations			
Item	Location	Temp	Item	Location	Temp	Item	Location	Temp
Hot Water	3-comp	135	Cheese	WIC	41			
	Sandwich Line	40	Chicken	WIC	28			
Cheese	Sandwich Line	45	Tuna Salad	WIC	38			
Ham	Sandwich Line	44	Sanitizer	Bucket	200			
Turkey	Sandwich Line	43	Sanitizer	3-comp	200			
Chicken	Sandwich Line	42						
Cut Tomatoes		40						
Spinach	WIC	39						
V	iolations cited in this re				orrective Actions les below, or as stated in		of the food code.	
	Hand Drying Provisi							
	d with individual, di				rels were out in one of paper towels.	out of three hand	sinks. All hand sin	ks must
be supplie 37 3-307.11 Nabove food	d with individual, di	sposable paces of Confident in the v	aper towels. Cl camination - C. valk-in cooler. l	DI-Replaced General Co		of employee food	& a drink were sto	ored
be supplie 37 3-307.11 N above food establishm Person in Char	d with individual, di discellaneous Sour d for the establishm	ces of Confient in the vink were di	aper towels. Cl camination - C. valk-in cooler. I scarded. irst	DI-Replaced General Co Employee fo	ast	of employee food	& a drink were sto	ored

REHS Contact Phone Number: (336)703 - 3136



8



Establishment Name:_	SUBWAY #34284	Establishment ID: 3034011809

Observations	and	Corrective	Actions
Observations	anu	COLLECTIVE	ACHOHS



- 45 4-501.11 Good Repair and Proper Adjustment-Equipment C. General Comment-The shelves in the refrigerators underneath the counter behind the sandwich line are just beginning to rust. Replace as needed.
- 6-501.12 Cleaning, Frequency and Restrictions C. A few pieces of bread and some food debris are underneath the sandwich line & underneath refrigerators. Ensure that you clean underneath all equipment.
- 6-303.11 Intensity-Lighting C. Lighting in the walk-in freezer is 2-3 f/c. Lighting in walk-in cooler is 5 f/c. Lighting in all food storage areas must be maintained at 10 f/c. Replace bulbs that have burned out./
 6-202.11 Light Bulbs, Protective Shielding C. The bulb in the walk-in freezer is broken & unshielded. All lights must be shielded to
 - 6-202.11 Light Bulbs, Protective Shielding C. The bulb in the walk-in freezer is broken & unshielded. All lights must be shielded to protect food from light shatter fragments.





Establishment Name: SUBWAY #34284 Establishment ID: 3034011809

Observations and Corrective Actions





Establishment Name: SUBWAY #34284 Establishment ID: 3034011809

Observations and Corrective Actions





Establishment Name: SUBWAY #34284 Establishment ID: 3034011809

Observations and Corrective Actions



