Food Establishment Inspection Report Score: 95 Establishment Name: MIDTOWN CAFE AND DESSERTERY Establishment ID: 3034010885 Location Address: 151 S STRATFORD RD Date: 08 / 13 / 2018 Status Code: A City: WINSTON SALEM State: NC Time In: $0 9 : 5 0 \otimes \text{am}$ Time Out: 12: 20 ⊗ pm County: 34 Forsyth Zip: 27104 Total Time: 2 hrs 30 minutes MIDTOWN CAFE AND DESSERTY INC Permittee: Category #: IV Telephone: (336) 724-9800 FDA Establishment Type: Full-Service Restaurant Wastewater System:

✓ Municipal/Community

✓ On-Site System No. of Risk Factor/Intervention Violations: 2 No. of Repeat Risk Factor/Intervention Violations: 1 Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🗵 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 31 🗆 🗖 4 🛛 Proper eating, tasting, drinking, or tobacco use 32 1 0.5 0 🗆 🗆 □□□□XPlant food properly cooked for hot holding 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 - -Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🔀 🗀 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🛛 🗀 Wiping cloths: properly used & stored 1 0.5 0 Required records available: shellstock tags, 12 🗆 21000 parasite destruction 1 0.5 0 40 🛛 🗀 Washing fruits & vegetables **Protection from Contamination** .2653, .2654 Proper Use of Utensils Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 42 🗆 🗷 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🗆 🔀 1 0.5 🗶 🗶 🗌 Potentially Hazardous Food Tlme/Temperature 16 ☒ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly **Utensils and Equipment** .2653, .2654, .2663 17| 🗆 3150 - -Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🛛 🗆 210 -3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips |19| 🛛 | 🗆 | 🗆 | 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 Proper cold holding temperatures 47 🗆 🗷 Non-food contact surfaces clean 1 0.5 🗶 🗌 🔲 21 🔀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure |22| 🗆 | 🔀 | 🗆 2**X**0**X** 49 □ 🗖 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗷 🗆 🗆 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities 52 🗷 1 0.5 0 Chemical .2653, .2657 maintained 25 | | | | | | 53 🔀 10.50 Food additives: approved & properly used 1 0.5 0 Physical facilities installed, maintained & clean



Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658

26 🗵 🗆

|27| 🗆 | 🗆 | 🔀



1 0.5 0

54

Meets ventilation & lighting requirements; designated areas used

Total Deductions:

210 - -

| | Comment | Adde | endum to | Food Es | tablish | nent l | nspection | n Report | |
|--|--|---|---|---|--|-----------------------------------|---|--|--------------------|
| Establishment Name: MIDTOWN CAFE AND DESSERTERY | | | | | Establishment ID: 3034010885 | | | | |
| Location Address: 151 S STRATFORD F City: WINSTON SALEM | | | Sta | ☑ Inspection ☐ Re-Inspection Date: 08/13/2018 Comment Addendum Attached? ☐ Status Code: A | | | | | |
| County: 34 Forsyth | | Zip: <u>27104</u> | | | Water sample taken? Yes No Category #: | | | | |
| Wastewater System: Municipal/Community □ On-Site System Water Supply: Municipal/Community □ On-Site System | | | | | Email 1: | | | | |
| Permittee: MIDTOWN CAFE AND DESSERTY INC | | | | | Email 2: | | | | |
| Telephone: (336) 724-9800 | | | | | Email 3: | | | | |
| | | | Tempe | rature Ob | servatior | าร | | | |
| Effective January 1, 2019 Cold Holding will change to 41 degrees | | | | | | | | | |
| ltem spinach | Location ice bath | Temp 43 | Item meat sauce | Location large make-unit | | Temp 51 | Item chicken salad | Location cooling (retail case) | Temp 50 |
| sausage | ice bath | 50 | sausage | cooling | | 90 | taco stew | retail case | 44 |
| ham | small make-unit | 49 | chicken salad | large make-unit | | 41 | hot water | 3-compartment sink | 138 |
| tomato | small make-unit | 42 | turkey | large make-unit | | 42 | quat (ppm) | 3-compartment sink | 200 |
| scrambled egg | final cook | 168 | mashed | walk-in cooler | | 44 | hot plate temp | dish machine | 176 |
| grilled chicken | final cook | 180 | ham | walk-in cooler | | 41 | taco stew | hot hold | 150 |
| potato salad | | | turkey | walk-in cooler | | 39 | ServSafe | Jim Cayton 4-22-19 | 0 |
| green beans | large make-unit | 50 | potato salad | cooling (reta | ail case) | 50 | -1 | | |
| Vi | olations cited in this report | | Observation corrected within t | | | | | 11 of the food code. | |
| 3-501.16 (A)(2) and (B) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding - P - Repeat - Ham in make-unit overstacked in container and measured 49F, sausage in ice bath measured 50F, and 2 containers of green beans, 2 containers of meat sauce, and 1 container of potato salad in make-unit measured 49-51F. Make-unit is measuring 50F in bottom corner potentially due to lack of air flow. Potentially hazardous foods in cold holding shall measure 45F or below. CDI - 2 containers of meat sauce, 2 containers of green beans, and container of potato salad discarded. Ice added to ice bath and ham cooled in walk-in cooler. *Beginning January 1, 2019 cold holding requirements for potentially hazardous foods change from 45F to 41F. 3-501.19 Time as a Public Health Control - P,PF - Time as a public health control procedure states that a sticker will be placed on butter when it is taken out of temperature control. Tray of butters at beginning of inspection had no time sticker. CDI - Sticker placed on tray as manager stated that the butters were placed there less than 30 minutes ago. | | | | | | | | | |
| sausag contain designe cooling Lock Text | 5 Cooling Methods - Ple measured 90F and wers were placed in retained for rapid cooling, such and the sausage meas | as coolii I case w h as the ured les | ng in make-uni vithin the past 2 valk-in cooler | t. Manager : 2 hours. Pot CDI - Con end of inspe | stated sausa entially haza tainers of sa | age was ardous fo alads and | prepared less bods shall be co d sausage take | than 30 minues ago a coled in equipment the n to walk-in cooler to | and salad at is |
| | | | rst | | ast | 77 | ry Co | 7 | |
| Regulatory Aut | hority (Print & Sign): ^{And} | rew | | Lee | | My | new d | er keus | |
| REHS ID: 2544 - Lee, Andrew | | | | | | Verifica | ation Required Da | ate:/ | |

REHS Contact Phone Number: (336) 703 - 3128

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Page 2 of _____ Food Establishment Inspection Report, 3/2013



Establishment Name: MIDTOWN CAFE AND DESSERTERY Establishment ID: 3034010885

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code



- 42 4-903.11 (A), (B) and (D) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing C Cups and utensils for coffee station stored on drying mat directly beside handsink. Maintain 18 inches of separation between handsinks and food-contact surfaces of equipment and utensils or install splash guard.
- 43 4-903.11 (A) and (C) Equipment, Utensils, Linens and Single-Service and Single-Use Articles-Storing C Plastic wrap stored directly beside handsink. Maintain 18 inches of separation between single-use/single-service articles and handsink, install splash guard. CDI Plastic wrap removed by manager and placed in proper storage location. 0 pts.
- 47 4-602.13 Nonfood Contact Surfaces C Additional cleaning needed on wire shelves in produce cooler. Nonfood contact surfaces of equipment shall be cleaned at a frequency necessary to maintain them clean. 0 pts.
- 5-205.15 (B) System maintained in good repair C Hot water faucet handle not functioning on right side faucet of 3-compartment sink. Plumbing fixtures shall be maintained in good repair. 0 pts.





Establishment Name: MIDTOWN CAFE AND DESSERTERY Establishment ID: 3034010885

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: MIDTOWN CAFE AND DESSERTERY Establishment ID: 3034010885

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: MIDTOWN CAFE AND DESSERTERY Establishment ID: 3034010885

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



