Food Establishment Inspection Report Score: 99 Establishment Name: STARBUCKS COFFEE 8517 Establishment ID: 3034011483 Location Address: 11 OAKWOOD DR City: WINSTON SALEM Date: 08 / 14 / 2018 Status Code: A State: NC Time In: $11 : 20 \overset{\otimes}{\circ} ^{am}$ Time Out: Ø 1 : Ø 5 ⊗ pm County: 34 Forsyth Zip: 27103 Total Time: 1 hr 45 minutes STARBUCKS COFFEE COMPANY Permittee: Category #: II Telephone: (336) 721-0021 FDA Establishment Type: Fast Food Restaurant Wastewater System:

✓ Municipal/Community

✓ On-Site System No. of Risk Factor/Intervention Violations: 0 No. of Repeat Risk Factor/Intervention Violations: Foodborne Illness Risk Factors and Public Health Interventions Good Retail Practices Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods. Public Health Interventions: Control measures to prevent foodborne illness or injury. IN OUT N/A N/O Compliance Status CDI R VR IN OUT N/A N/O Compliance Status CDI R VR Supervision .2652 Safe Food and Water .2653, .2655, .2658 PIC Present; Demonstration-Certification by accredited program and perform duties 1 🛛 🗀 28 1 0.5 0 Pasteurized eggs used where required **Employee Health** 29 🛛 🗆 Water and ice from approved source Management, employees knowledge; responsibilities & reporting 2 🛛 🗆 3 1.5 0 Variance obtained for specialized processing 30 □ □ □ ⊠ 1 0.5 0 \times Proper use of reporting, restriction & exclusion 3 1.5 0 **Food Temperature Control** .2653, .2654 Proper cooling methods used; adequate equipment for temperature control **Good Hygienic Practices** .2652, .2653 1 0.5 0 31 🛛 🗆 4 🛛 210 - -Proper eating, tasting, drinking, or tobacco use 32 □ □ X □ Plant food properly cooked for hot holding 1 0.5 0 🗆 🗆 5 П 1 0.5 0 No discharge from eyes, nose or mouth 1 0.5 0 🗆 🗆 33 🛛 🔲 🖂 Approved thawing methods used Preventing Contamination by Hands .2652, .2653, .2655, .2656 34 🗵 🗆 1 0.5 0 Thermometers provided & accurate 420 ---6 | X | 🗆 Hands clean & properly washed Food Identification No bare hand contact with RTE foods or pre-X 3 1.5 0 approved alternate procedure properly followed 35 🗵 🗆 Food properly labeled: original container 210 - -8 🗵 210 - -Handwashing sinks supplied & accessible Prevention of Food Contamination .2652, .2653, .2654, .2656, .265 **Approved Source** .2653, .2655 Insects & rodents not present; no unauthorized 36 🗵 🗆 210000 9 🛛 🗆 Food obtained from approved source Contamination prevented during food 210 -37 🗵 🗆 preparation, storage & display 10 Food received at proper temperature 38 🗷 🗆 Personal cleanliness 1 0.5 0 11 🛛 🗀 Food in good condition, safe & unadulterated 39 🗆 🗷 Wiping cloths: properly used & stored Required records available: shellstock tags, 12 🗆 21000 parasite destruction 40 🛛 🗀 Washing fruits & vegetables 1 0.5 0 🗆 🗆 **Protection from Contamination** .2653, .2654 Proper Use of Utensils Food separated & protected 3 1.5 0 41 🖾 🗀 1 0.5 0 In-use utensils: properly stored 14 🔀 3 1.5 0 Food-contact surfaces: cleaned & sanitized Utensils, equipment & linens: properly stored, dried & handled 1 0.5 0 42 🛛 🗆 Proper disposition of returned, previously served 15 🖾 🗀 210 - reconditioned, & unsafe food Single-use & single-service articles: properly stored & used 43 🛛 🗆 1 0.5 0 Potentially Hazardous Food Tlme/Temperature 16 ☐ ☐ ☐ ☐ Proper cooking time & temperatures 3 1.5 0 - - -44 🛛 🗆 1 0.5 0 ... Gloves used properly 17 🗆 **Utensils and Equipment** .2653, .2654, .2663 3 1.5 0 Equipment, food & non-food contact surfaces approved, cleanable, properly designed, 45 🛛 🗆 210 -3 1.5 0 Proper cooling time & temperatures constructed, & used Warewashing facilities: installed, maintained, & used; test strips 19 🗆 3 1.5 0 Proper hot holding temperatures 46 🛛 🗆 1 0.5 0 3 1.5 0 Proper cold holding temperatures 47 🛛 🗀 Non-food contact surfaces clean 1 0.5 0 21 🖾 🗀 🗀 ☐ Proper date marking & disposition 3 1.5 0 **Physical Facilities** .2654. .2655. .2656 48 🔀 🖂 🖂 Time as a public health control: procedures & Hot & cold water available; adequate pressure 210 49 21000 Plumbing installed: proper backflow devices Consumer Advisory .2653 Consumer advisory provided for raw or 23 🗆 🗆 🗷 1 0.5 0 ... 50 🗷 🗆 21000 Sewage & waste water properly disposed undercooked foods **Highly Susceptible Populations** .2653 Toilet facilities: properly constructed, supplied 1 0.5 0 51 🛛 🗀 Pasteurized foods used; prohibited foods not & cleaned |24| □ | □ | 🔀 Garbage & refuse properly disposed; facilities maintained 52 🗆 🗷 1 0.5 🗶 🗆 🗆 Chemical .2653, .2657 25 | | | | | | 53 🗷 10.50



26 🗵 🗆

|27| 🗆 | 🗆 | 🔀

Food additives: approved & properly used

Toxic substances properly identified stored, & used

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Conformance with Approved Procedures .2653, .2654, .2658



54

П

Physical facilities installed, maintained & clean Meets ventilation & lighting requirements; designated areas used

Total Deductions:

1 0.5 0

210 - -

	Comme	ent Addendum	to Food E	<u>stablishment</u>	Inspection	Report	
Establishm	ent Name: STARBU	CKS COFFEE 8517		Establishment II): 3034011483	-	
Location A City: WINS County: 3 Wastewater Water Supp Permittee	Address: 11 OAKWO STON SALEM 4 Forsyth System: Municipal/C ly: Municipal/C 5 STARBUCKS COFF e: (336) 721-0021	Zip: 27 community On-Site System On-Site System On-Site System	mperature O	☐ Inspection ☐ Comment Addendum Water sample taken? Email 1: S08517@ Email 2: Email 3: bservations	Re-Inspection Attached? Yes No RETAIL.STARBU	Status Code Category #:	e:
Hot water	3 comp sink	141		·			
Quat (ppm)	3 comp sink	300					
Hot water	dishmachine	171			_		
Quat (ppm)	buckets	0					
Ambient Ambient	milk upright milk reach-in	39					
Ambient	sandwich reach-in	38			·		
FSP	T. Nordskog 6-11-23				.		
	7.110145169 0 11 20		ations and C	orrective Actions			1
		igs - C- Drain plugs a s. Receptacles shall h			pster. Contact \	Waste Managen	nent for
sink; 3 9-12ft	33-39ft candles at the candles in men's re	g - C-REPEAT- Low li e coffee brewing stati stroom. Lighting shall ng areas. Replace bro	on; 31-38ft cand be at least 50ft	les at the sandwich s candles in food prepe	itation; 3-6ft can eration areas an	ndles in women's nd at least 20ft ca	restroom; and andles in
Lock Text							
Person in Charge (Print & Sign): THG		First THOMAS First	NORDSKO	ast G ast	The	Mg	
Regulatory A	uthority (Print & Sign	SHANERIA	SANDERS		J. J. J.	*RE	1751
	REHS ID	2683 - Shaneria	Sanders	Verific	ation Required Da	ate://	
REHS (Contact Phone Number	r: (<u>336</u>) <u>703</u> -	3144				

KCPH

Establishment Name: STARBUCKS COFFEE 8517 Establishment ID: 3034011483

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: STARBUCKS COFFEE 8517 Establishment ID: 3034011483

Observations and Corrective Actions
Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: STARBUCKS COFFEE 8517 Establishment ID: 3034011483

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: STARBUCKS COFFEE 8517 Establishment ID: 3034011483

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



