Food Establishment Inspection	n Report	Score: <u>97</u>			
Establishment Name: SENOR BRAVO IN AND OUT		Establishment ID: 3034012449			
Location Address: 545 TRADE ST					
City: WINSTON SALEM	Date: Ø1/11/2019 Status Code: A				
Zip: 27101 County: 34 Forsyth	State: <u>NC</u>	Time In: $01$ : $15 \otimes pm$ Time Out: $02$ : $35 \otimes pm$ m			
Permittee:     SENOR BRAVO IN AND OUT, INC					
Telephone:		Category #: IV			
Wastewater System: Municipal/Community	On Site Sve	FDA Establishment Type: Fast Food Restaurant			
•	,	No. of Risk Factor/Intervention Violations:			
Water Supply: XMunicipal/Community On-Site Supply No. of Repeat Risk Factor/Intervention Violations:					
Foodborne Illness Risk Factors and Public Health Interventions       Good Retail Practices         Risk factors: Contributing factors that increase the chance of developing foodborne illness.       Bood Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.					
IN OUT NA N/O Compliance Status	OUT CDI R VR	IN OUT N/A N/O Compliance Status OUT CDI R VR			
Supervision .2652		Safe Food and Water .2653, .2655, .2658			
1       Image: Pic Present; Demonstration-Certification by accredited program and perform duties         Employee Health       .2652		28 Pasteurized eggs used where required			
2     Image: State of the state	31.50	29 X Vater and ice from approved source			
3     X     Proper use of reporting, restriction & exclusion		30     Image: Second seco			
Good Hygienic Practices .2652, .2653		Food Temperature Control     .2653, .2654       31 🛛 Proper cooling methods used; adequate equipment for temperature control     1030 □			
4 🛛 🗌 Proper eating, tasting, drinking, or tobacco use	210				
5 🔀 🗌 No discharge from eyes, nose or mouth		32 Plant food properly cooked for hot holding			
Preventing Contamination by Hands .2652, .2653, .2655, .2656		33 □ □ X □ Approved thawing methods used □ □ □ □			
6 🛛 🗌 Hands clean & properly washed	420	34 X Thermometers provided & accurate			
7 🛛 🗆 🗆 🗠 No bare hand contact with RTE foods or pre- approved alternate procedure properly followed	31.50	Food Identification     .2653       35 🛛 Food properly labeled: original container     21000000000000000000000000000000000000			
8 🛛 🗌 Handwashing sinks supplied & accessible	210	Prevention of Food Contamination .2652, .2653, .2654, .2656, .2657			
Approved Source .2653, .2655		36 🛛 🗌 Insects & rodents not present; no unauthorized			
9 🛛 🗌 Food obtained from approved source		37 ⊠ □ Contamination prevented during food 210 □ □			
10   Image: Second se		38 ⊠     Personal cleanliness			
11 X     Food in good condition, safe & unadulterated       12 P     Required records available; shellstock tags,		39 🔀 □ Wiping cloths: properly used & stored 1 ⊡ □			
□2 □ □ ∞ □ parasite destruction	210	40 🛛 🗌 🗍 Washing fruits & vegetables			
Protection from Contamination         .2653, .2654           13         X            Food separated & protected	31.50	Proper Use of Utensils .2653, .2654			
14 X     Food-contact surfaces: cleaned & sanitized	31.50	41 🛛 🗌 In-use utensils: properly stored			
Proper disposition of returned, previously served		42 🛛 🗌 Utensils, equipment & linens: properly stored, 1900 🗆 🗆			
IS         Image: Constraint of the second seco		43 X Single-use & single-service articles: properly			
16 🗌 🗍 🔀 🔲 Proper cooking time & temperatures	31.50	44 🗙 🗌 Gloves used properly			
17 🛛 🗌 🔲 Proper reheating procedures for hot holding	31.50	Utensils and Equipment .2653, .2654, .2663			
18 🛛 🗌 🔤 Proper cooling time & temperatures	3150	45 C X Equipment, food & non-food contact surfaces approved, cleanable, properly designed, X 10 X			
19 X D Proper hot holding temperatures	3150	46 ⊠     Warewashing facilities: installed, maintained, &       1∞30     □			
20 🗙 🗌 🗌 Proper cold holding temperatures	31.50	40 ▲         used; test strips           47 ▲         Non-food contact surfaces clean			
21  Proper date marking & disposition	31.50	Physical Facilities .2654, .2655, .2656			
22 T Time as a public health control: procedures &		48 🔀 🗌 🗌 Hot & cold water available; adequate pressure 210 🗆 🗆			
Consumer Advisory .2653		49 🔀 🔲 Plumbing installed; proper backflow devices [2] 1.0 □ □			
23 Consumer advisory provided for raw or undercooked foods	10.50	50 🛛 🗌 Sewage & waste water properly disposed 2100			
Highly Susceptible Populations .2653		51 🛛 🗆 Toilet facilities: properly constructed, supplied			
24 Pasteurized foods used; prohibited foods not	3 1.5 0	Garbage & refuse properly disposed; facilities			
Chemical         .2653, .2657           25         Image: Chemical in the second s		32     Maintained       53     Maintained       Figure 1     Physical facilities installed, maintained & clean			
		Meets ventilation & lighting requirements;			
26         Image: Conformance with Approved Procedures         .2653, .2654, .2658		54 X C designated areas used			
27     Image: Second marker with approved Proceedings - 2003, 2004, 2006       27     Image: Second marker with approved Proceedings - 2003, 2004, 2006       27     Image: Second marker with approved Proceedings - 2003, 2004, 2006       27     Image: Second marker with approved Proceedings - 2003, 2004, 2006       27     Image: Second marker with approved Proceedings - 2003, 2004, 2006       27     Image: Second marker with approved Proceedings - 2003, 2004, 2006       27     Image: Second marker with approved Proceedings - 2003, 2004, 2006       27     Image: Second marker with approved Proceedings - 2003, 2004, 2006       27     Image: Second marker with approved Proceedings - 2003, 2004, 2006       27     Image: Second marker with approved Proceedings - 2003, 2004, 2006       27     Image: Second marker with approved Proceedings - 2003, 2004, 2006       27     Image: Second marker with approved Proceedings - 2004, 2006       27     Image: Second marker with approved Proceedings - 2004, 2007       20     Image: Second marker with approved Proceedings - 2004, 2007       27     Image: Second marker with approved Proceedings - 2004, 2007       27     Image: Second marker with approved Proceedings - 2004, 2007       27     Image: Second marker with approved Proceedings - 2004, 2007       28     Image: Second marker with approved Proceedings - 2004, 2007       29     Image: Second marker with approved Proceedings - 2004, 2007	210	Total Deductions: <sup>3</sup>			

## this

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

Comment Addendum to	Food Establishment In	spection Report

Establishment Name: SENOR	BRAVO IN AND OUT	Establishment ID: 3034012449						
Location Address: 545 TRAD City: WINSTON SALEM County: 34 Forsyth Wastewater System: Municipal/ Water Supply: Municipal/ Permittee: SENOR BRAVO II		Inspection □ Re-Inspection     Comment Addendum Attached? □     Water sample taken? □ Yes ☑ No     Email 1: <sup>senorbravomex@aol.com</sup> Email 2: <sup>•</sup>	Date: <u>01/11/2019</u> Status Code: <u>A</u> Category #: <u>IV</u>					
Telephone: (336) 955-1288		Email 3:						
Temperature Observations								
Effective January 1, 2019 Cold Holding will change to 41 degrees								

Salvador	9/26/22	0	tomatoes	make unit	39		
Rice	steam table	143	hot water	three comp sink	124		
beans	steam table	155	sanitizer (cl)	three comp sink (ppm)	50		
beef	steam table	178	Upright cooler	ambient air	40		
fish	steam table	175	Onions	26F change in 20 min	0		
pork	steam table	152					
steak	steam table	159					
lettuce	make unit	38					

## Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

45 4-205.10 Food Equipment, Certification and Classification - C REPEAT: Cooler used for ice storage for margaritas. Perlick drink box used to hold mixed beverage mixers beside the cooler. Establishment must use ANSI approved equipment for food storage including ice. Establishment is not approved for mixed beverage station from plan review and would require plans sent to the Health department for additions of perlick unit, approved ice bin and supply, and a dump sink for drink prep. Consult with Michelle Kirkley at Forsyth County Health Dept for plan review purposes. Until plans are sent and approved discontinue margarita preparation and storage.

**√** Spell

6-201.11 Floors, Walls and Ceilings-Cleanability - C REPEAT: One ceiling tile missing in women's restroom where it fell out due to roof leak. A green bucket is in place in the ceiling to catch leaks. Repair the ceiling to stop any leaks and replace the damaged ceiling tiles. // 6-501.12 Cleaning, Frequency and Restrictions - C Debris from broken ceiling tile is on the floor in the women's restroom on the floor in front of the toilet since previous inspection. Clean the restroom at a frequency adequate to remove any soil and debris. // Physical facilities shall be clean and in good repair.

Lock Text						
Person in Charge (Print & Sign):	Salvador	First	Rosales	Last	( ) A	2
Regulatory Authority (Print & Sign)	Joseph :	First	Chrobak	Last	d	2
REHS ID	2450 -	- Chrobak, Jose	ph		_ Verification Required Date: _	//
REHS Contact Phone Number	`	DHHS is 2	vision of Pu an equal o	blic Health   Enviro pportunity employer.  ent Inspection Report,	nmental Health Section • Food Pro 3/2013	tection Program

Establishment ID: 3034012449

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: 3034012449

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment ID: 3034012449

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment ID: 3034012449

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

