and Establishment Inspection Depart

Food Establishment inspection	кероп					So	ore: <u>99</u>				
Establishment Name: LAWRENCE POPE FIELDHOU	SE	Establishment ID: 3034020750									
Location Address: 2500 WEST MOUNTAIN STREET	Inspection ☐ Re-Inspection										
	State: NC	Date: Ø 4 / Ø 8 / 2 Ø 1 4 Status Code: A									
	Time In: $03:45 \otimes pm$ Time Out: $05:05 \otimes pm$										
	Total Time: 1 hr 20 minutes										
Permittee: WSFCS	Category #: II										
Telephone:			TDA Fatablishment Time. Fast Food Restaurant								
Wastewater System: ⊠Municipal/Community ☐ On-Site Sys						Risk Factor/Intervention Violations:	1				
Water Supply: ⊠Municipal/Community ☐ On-Site Supply						Repeat Risk Factor/Intervention Viol	ations. 0				
		1		J. C							
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness.				Good Retail Practices							
Public Health Interventions: Control measures to prevent foodborne illness or	Good Retail Practices: Preventative measures to control the addition of pathogens, chemicals, and physical objects into foods.										
IN OUT N/A N/O Compliance Status	OUT CDI R VR	IN	IN OUT N/A N/O		N/O	Compliance Status	OUT CDI R VR				
Supervision .2652		Safe I			d Wa	ater .2653, .2655, .2658					
1 ☑ □ □ PIC Present; Demonstration-Certification by accredited program and perform duties		28 🗆		X		Pasteurized eggs used where required	1 0.5 0				
Employee Health .2652		29 🔀				Water and ice from approved source	210 -				
2 🛛 🗆 Management, employees knowledge; responsibilities & reporting	3 1.5 0	30 🗆		X		Variance obtained for specialized processing methods	1 0.5 0				
3 🗵 🗆 Proper use of reporting, restriction & exclusion					Food Temperature Control .2653, .2654						
Good Hygienic Practices .2652, .2653		31				Proper cooling methods used; adequate equipment for temperature control	1 0.5 0				
4 🗵 Proper eating, tasting, drinking, or tobacco use		32 🗆			X	Plant food properly cooked for hot holding	1 0.5 0				
No discharge from eyes, nose or mouth	1 0.5 0	33 🔀				Approved thawing methods used	1 0.5 0				
Preventing Contamination by Hands .2652, .2653, .2655, .2656 Hands clean & properly washed	420	34 🔀				Thermometers provided & accurate	1 0.5 0	5			
No hare hand contact with DTE foods or pro	3 1.5 0	Food	lder	ntific	atio	n .2653					
approved alternate procedure properly followed		35				Food properly labeled: original container	210 -				
8 Approved Source .2653, .2655	2 1 0		ntio	n of	Foc	od Contamination .2652, .2653, .2654, .2656, .265	57				
9 🗵 🗆 Food obtained from approved source	210	36				Insects & rodents not present; no unauthorized animals	2 1 0				
10 🗆 🖂 Food received at proper temperature		37				Contamination prevented during food preparation, storage & display	210 -				
11 🛛 🗍 Food in good condition, safe & unadulterated	210	38				Personal cleanliness	1 0.5 0				
		39 🔀				Wiping cloths: properly used & stored	1 0.5 0				
12	210	40 🗆		X		Washing fruits & vegetables	1 0.5 0				
13 🛮 🗀 🗀 Food separated & protected	3 1.5 0	Prope		se of	Ute	ensils .2653, .2654					
14 ☑ Food-contact surfaces: cleaned & sanitized	3 1.5 0	41 🔀				In-use utensils: properly stored	1 0.5 0				
Droppy disposition of voturned proviously conved		42 🔀				Utensils, equipment & linens: properly stored, dried & handled	1 0.5 0				
15 ⊠ □ Proper disposition of returned, previously served, reconditioned, & unsafe food Potentially Hazardous Food Time/Temperature .2653		43 🔀				Single-use & single-service articles: properly stored & used	1 0.5 0				
16	3 1.5 0	44 🔀	П			Gloves used properly	1 0.5 0	市			
17 🔀 🖂 🖂 Proper reheating procedures for hot holding	3 1.5 0		ils a	nd E	Equi	pment .2653, .2654, .2663					
18 Proper cooling time & temperatures	3 1.5 0	45 🔀	П			Equipment, food & non-food contact surfaces approved, cleanable, properly designed,	2 1 0	П			
 	3 1.5 0					constructed, & used Warewashing facilities: installed, maintained, &					
19 🔲 🖂 🔀 Proper hot holding temperatures		46	Ш			used; test strips	1 0.5 0	<u> </u>			
20 🗵 🗌 🔲 Proper cold holding temperatures	3 1.5 0	47 🗵				Non-food contact surfaces clean	1 0.5 0				
21 Proper date marking & disposition	3 1.5 0	Physi	cal	Facil	lities			1			
22	210	48		Ш		Hot & cold water available; adequate pressure	210 .				
Consumer Advisory .2653 23 Consumer advisory provided for raw or		49 🔀	Ш			Plumbing installed; proper backflow devices	2 1 0	1			
23 U U Undercooked foods	1 0.5 0	50 🗷				Sewage & waste water properly disposed	2 1 0	10			
Highly Susceptible Populations .2653 24	3 1.5 0	51 🗷				Toilet facilities: properly constructed, supplied & cleaned	1 0.5 0				
24		52 🔀				Garbage & refuse properly disposed; facilities maintained	1 0.5 0				
25 🔲 🖂 🔀 Food additives: approved & properly used	1 0.5 0	53 🗆	X			Physical facilities installed, maintained & clean	1 0.5 🗶 🗆 🗆				
26 🔲 🗖 Toxic substances properly identified stored, & used	2 🗶 0 🗶 🗆 🗆	54 🔀				Meets ventilation & lighting requirements; designated areas used	1 0.5 0				
Conformance with Approved Procedures .2653, .2654, .2658											





Total Deductions: 1

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan

Location Ac		<u> </u>	FIELDHOUSE		Establishme	ent ID: 303402075	0					
City: KERNE	Location Address: 2500 WEST MOUNTAIN STREET					☑Inspection ☐Re-Inspection Date: 04/08/2014						
City: KERNERSVILLE State: NC					Comment Addendum Attached? Status Code: A							
County: 34	Forsyth		Zip:_ ²⁷²⁸				Category #	: <u>II</u>				
	System: 🛛 Municipal/Co				Email 1:							
Water Supply Permittee:		mmunity _	On-Site Systei	m	Email 2:							
					Email 3:							
· ·					Observations							
Item	Location		p Item	Location		Temp Item	Location	Tei				
hot dogs	make unit	39										
slaw	make unit	38										
hot water	utensil sink	150										
air temp	beverage cooler	41										
Keith Lawson	servsafe expires	00										
chili	reheat-commercial	178										
			ODI GAIIIGZ	i was remixed	d to 200ppm.							
	Cleaning, Frequency e utensil sink drain.					ath the utensil sink	α. There was some	e debris				
around the	e utensil sink drain. Ó	and Res		ere was a spla			c. There was some					

REHS ID: 1958 - Allred, Christy

__ Verification Required Date: ____/ ___/ ___

REHS Contact Phone Number: (336)703 - 3135





Establishment Name: LAWRENCE POPE FIELDHOUSE Establishment ID: 3034020750

Observations and Corrective Actions





Establishment Name: LAWRENCE POPE FIELDHOUSE Establishment ID: 3034020750

Observations and Corrective Actions





Establishment Name: LAWRENCE POPE FIELDHOUSE Establishment ID: 3034020750

Observations and Corrective Actions





Establishment Name: LAWRENCE POPE FIELDHOUSE Establishment ID: 3034020750

Observations and Corrective Actions



