Food Establishment Inspection Report	Score: <u>97.5</u>				
Establishment Name: CLAREBRIDGE Establishment Name:	blishment ID: 3034160010				
	Inspection Re-Inspection				
	2 / 27 / 2015 Status Code: A				
	09:45 am pm Time Out: $11:50$ pm pm				
	ne: _2 hrs 5 minutes				
Category					
Telephone: (330) 059-7797	ablishment Type: Full-Service Restaurant				
	isk Factor/Intervention Violations: 1				
	epeat Risk Factor/Intervention Violations:				
Foodborne Illness Risk Factors and Public Health Interventions         Risk factors: Contributing factors that increase the chance of developing foodborne illness.         Public Health Interventions: Control measures to prevent foodborne illness or injury.					
IN OUT N/A N/O Compliance Status OUT CDI R VR IN OUT N/A N/O	Compliance Status OUT CDI R VR				
Supervision .2652 Safe Food and Wate	er .2653, .2655, .2658				
1       Image: Second sec	Pasteurized eggs used where required				
	Vater and ice from approved source 210				
	/ariance obtained for specialized processing				
3 🛛 🗌 Proper use of reporting, restriction & exclusion 3 15 0 🗆 🗖 Food Temperature C					
	Proper cooling methods used; adequate				
4 🛛 🗌 Proper eating, tasting, drinking, or tobacco use 210 🗌 🔤 32	Plant food properly cooked for hot holding				
5 🕅 🗌 No discharge from eyes, nose or mouth	pproved thawing methods used				
Preventing Contamination by Hands .2652, .2653, .2655, .2656	hermometers provided & accurate				
	.2653				
7     ⊠     □ </td <td>ood properly labeled: original container</td>	ood properly labeled: original container				
8 🛛 🗌 Handwashing sinks supplied & accessible 210 🗆 🖓 Prevention of Food					
	nsects & rodents not present; no unauthorized				
9 X   Food obtained from approved source   210   4     37 X   Control	Contamination prevented during food				
$ 10 \   \   \   \   \   \   \   \   \   \ $	Personal cleanliness				
Image:	Viping cloths: properly used & stored				
Protection from Contamination .2653, .2654	Vashing fruits & vegetables				
	n-use utensils: properly stored				
14 Food-contact surfaces: cleaned & sanitized	Itensils, equipment & linens: properly stored,				
Potentially Hazardous Food Time/Temperature .2653	tored & used				
	Aloves used properly   10.50				
17 C Proper reheating procedures for hot holding 3 15 0 C Utensils and Equipm	ment .2653, .2654, .2663 quipment, food & non-food contact surfaces				
18 X C C Proper cooling time & temperatures 3150 C C C 45 C A	pproved, cleanable, properly designed, 2 2 0 0				
19 T T X Proper hot holding temperatures	Varewashing facilities: installed, maintained, & 10.50 .				
	Ion-food contact surfaces clean				
21 🛛 🗌 🖓 Proper date marking & disposition 3150 🗌 🖓 Physical Facilities	.2654, .2655, .2656				
22 T Time as a public health control: procedures & 210 T 48 🛛 D Ho	tot & cold water available; adequate pressure				
	Plumbing installed; proper backflow devices				
23 Consumer advisory provided for raw or 1050 C Consumer advisory provided for raw or 1050 C C So	Sewage & waste water properly disposed				
Highly Susceptible Populations .2653	oilet facilities: properly constructed, supplied				
	Cleaned — — — — — — — — — — — — — — — — — — —				
Chemical .2653, .2657					
	Physical facilities installed, maintained & clean				
	Acets ventilation & lighting requirements;				
Conformance with Approved Procedures       .2653, .2654, .2658         27       Image: Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan	Total Deductions: 2.5				

North Carolina Department of Health & Human Services • Division of Public Health • Environmental Health Section • Food Protection Program DHHS is an equal opportunity employer.

## Comment Addendum to Food Establishment Inspection Report

Establishment Name: CLAREBRIDGE		Establishment ID: 3034160010				
Location Address: 275 S PEACEHAVEN RE City: WINSTON SALEM County: 34 Forsyth Wastewater System: Municipal/Community Water Supply: Municipal/Community Permittee: BROOKDALE SENIOR LIVING	State: <u>NC</u> Zip: _27104 On-Site System	<ul> <li>✓ Inspection ☐ Re-Inspection</li> <li>Comment Addendum Attached? ☐</li> <li>Email 1:</li> <li>Email 2:</li> </ul>	Date: 02/27/2015 Status Code: A Category #: IV			
Telephone: (336) 659-7797		Email 3:				
	Temperature (	Observations				
Itom Location Tomp	Itom Location	Tomp Itom	Logation Tomp			

ltem Salad Mix	Location Reach-in	Temp 41	Item	Location	Temp	Item	Location	Temp
Broccoli	Reach-in	40						
Milk	Reach-in	40						
Ground Beef	Reach-in	40						
Chicken	Thawing	34						
Sanitizer	3 comp sink	200						
Jennifer Zeak	SS 4/20/16	0						
Hot Water	Dishmachine	182						

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

14 4-601.11 (A) Equipment, Food-Contact Surfaces, Nonfood-Contact Surfaces, and Utensils - P-One pair of tongs was soiled with food debris.// Two clean condiment bottles were stored with sticker labels attached. Utensils shall be cleaned to sight and touch and stickers shall be removed when washing. CDI- Labels were removed from bottles were re-washed and tongs were re-washed

41 3-304.12 In-Use Utensils, Between-Use Storage - C- One spoon handle was submerged inside the container of oatmeal. In-use utensils shall be stored with the handle up. CDI- PIC removed the spoon from the container.

4-205.10 Food Equipment, Certification and Classification - C--One milk crate was used to hold up one "insinkerator" garbage disposal underneath the warewashing machine in the kitchen. Milk crates are not approved to store equipment. Remove and replace with an approved storage rack or properly affix garbage disposal to sink.
 4-501.11 Good Repair and Proper Adjustment-Equipment - C-- Equipment repair is necessary on the shelves in the reach-in coolers that have rusted edges.// Screws at the prep sinks have began to rust. Replace.

Person in Charge (Print & Sign):	First	Last	Junnifer Ziak		
Regulatory Authority (Print & Sign): <sup>Ch</sup>	<i>First</i> aristopher Lott	<i>Last</i> Joseph Chrobak	Chris foth Ret ST /	Saf 1/2	
REHS ID: 2450 - Chrobak, Joseph			Verification Required Date:/	/	
REHS Contact Phone Number: (	()				
North Carolina Department of H		<ul> <li>Division of Public Health</li> <li>Envir IS is an equal opportunity employed</li> </ul>	ronmental Health Section • Food Protection r.	Program	

**Comment Addendum to Food Establishment Inspection Report** 

Establishment Name: CLAREBRIDGE

Establishment ID: 3034160010

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.

47 4-602.13 Nonfood Contact Surfaces - C-0pts-Cleaning is necessary inside the microwave where good debris has splashed, and the shelf that stores the microwave. CDI: Both shelf and microwave were cleaned during inspection.

53 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods - C-0pts-Walls: Wall damage is present inside the dry storage room with scuffs and dings. Repair and re-paint.





Spell

Establishment Name: CLAREBRIDGE

Establishment ID: 3034160010

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell

Establishment Name: CLAREBRIDGE

Establishment ID: 3034160010

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Establishment Name: CLAREBRIDGE

Establishment ID: 3034160010

Observations and Corrective Actions Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



Spell