– (0	d	E	Sl	ablishment inspection	Re	po	rt							Sco	re:	8	<u>11.</u>	<u>5</u>	
S	tab	lis	hn	ner	t Name: META'S RESTAURANT							E	st	ablishment ID: 3034010981						
					ess: 102 W THIRD STREET															
Cit	v:	WI	NS.	TON	ISALEM	State	. N	IC			Da	ate	: (08/21/2015 Status Code:	Α					
Zip: 27101 County: 34 Forsyth Time In: 10:35 mm Time Out: 01										: 10	y ⊗ 8	aı	m m							
Permittee: ALRISA LLC Total Time:											ime: 2 hrs 35 minutes		_0	Pi						
	crimities.										Category #: IV									
					336) 750-0811					EDA Establishment Type:										
Na	Vastewater System: $oxtimes$ Municipal/Community $ oxtimes$ On-Site Sys										FDA Establishment Type: No. of Risk Factor/Intervention Violations: 5								_	
Na	ate	r S	up	ply	r: ⊠Municipal/Community □On-	Site S	upp	oly						Repeat Risk Factor/Intervention \			_ IS:	1		
_					D: 1 E									O and Date I Described		_	_	_	_	_
Foodborne Illness Risk Factors and Public Health Interventions Risk factors: Contributing factors that increase the chance of developing foodborne illness. Good Retail Practices: Preventative measures to control the addition of pathog												i pathoge	ens.	che	mica	ıls.				
Public Health Interventions: Control measures to prevent foodborne illness or injury.										and physical objects into foods.										
	IN			N/O	Compliance Status	OUT	CDI	R VI	_			N/A			ightharpoonup	OUT	:	CDI	R	VR
Т	_	ervision .2652 PIC Present; Demonstration-Certification by				35	Safe F			d W	,,	le le								
		X		alth	accredited program and perform duties				28	+		×		Pasteurized eggs used where required		1 0.5		_		Ľ
Т	$\overline{}$) X	е пе	alth	.2652 Management, employees knowledge; responsibilities & reporting	3 1.5 😿			29					Water and ice from approved source		2 1	0	Щ	Ш	Ц
-	×						+		30			X		Variance obtained for specialized processing methods		0.5	0			
_		H _V	nion	ic Dr	Proper use of reporting, restriction & exclusion actices .2652, .2653	3 1.5 0	الحال			$\overline{}$		pera	atu	re Control .2653, .2654 Proper cooling methods used; adequate		_				
$\overline{}$	\equiv		gien	IC FI	Proper eating, tasting, drinking, or tobacco use	2 1 0		ΠГ	٦I ا	X				equipment for temperature control		1 0.5	0			
\dashv	×	_			No discharge from eyes, nose or mouth	1 0.5 0			32	2 🗵				Plant food properly cooked for hot holding	[1	1 0.5	0			
_	_	ntin	a C	onta	mination by Hands .2652, .2653, .2655, .2656	1 0.5 0	1-1		33	3 🗆			X	Approved thawing methods used	[1 0.5	0			
$\overline{}$	$\overline{}$		go		Hands clean & properly washed	4 2 0			34	=	X			Thermometers provided & accurate	I	1 🔀	0		X	
\rightarrow	_				No bare hand contact with RTE foods or pre-					ood	lder	ntific	ati	on .2653						
-	X	_			approved alternate procedure properly followed	2 1 0	+		35	X				Food properly labeled: original container	[2	2 1	0			
_		U NAC	1 50	urce	Handwashing sinks supplied & accessible .2653, .2655	2 1 0	1			$\overline{}$		n of	Fo	od Contamination .2652, .2653, .2654, .2656, Insects & rodents not present; no unauthorize		_				
$\overline{}$	×		1 50		Food obtained from approved source	2 1 0		ПГ	Ή					animals	u [2	1	0	Ц	븨	L
\rightarrow	×	_			Food received at proper temperature	2 1 0			37	X				Contamination prevented during food preparation, storage & display	[2	2 1	0			
\rightarrow	X	_			Food in good condition, safe & unadulterated	210			38	3 🛮				Personal cleanliness	[7	1 0.5	0			
11					Required records available: shellstock tags,		+		39	X				Wiping cloths: properly used & stored	I	1 0.5	0			
IZ D	rote	ctio	X n fr	m C	parasite destruction contamination .2653, .2654	2 1 0	1		40					Washing fruits & vegetables	[1	1 0.5	0			
13					Food separated & protected	3 1.5 0					r Us	se of	f Ut	ensils .2653, .2654						
14	-	×			Food-contact surfaces: cleaned & sanitized	3 🗙 0			41	×				In-use utensils: properly stored		1 0.5	0			
-	-				Proper disposition of returned, previously served,		+		42	2 🛛				Utensils, equipment & linens: properly stored, dried & handled	I	1 0.5	0			
15 P		⊔ tial	lv H:	azaro	reconditioned, & unsafe food dous Food Tlme/Temperature .2653	2 1 0	1		43	3 🛮				Single-use & single-service articles: properly stored & used	[1	1 0.5	0			
16	$\overline{}$				Proper cooking time & temperatures	3 1.5 0		٦IF	⊣ ⊢	1 🗵	П			Gloves used properly	- F	1 0.5	0	П	\Box	П
\rightarrow	\mathbf{x}	П			Proper reheating procedures for hot holding	3 1.5 0			⊣⊢	\perp	ils a	nd I	Equ	uipment .2653, .2654, .2663						
\rightarrow	X	_] [Proper cooling time & temperatures	3 1.5 0	1-1		1 45		×			Equipment, food & non-food contact surfaces approved, cleanable, properly designed,	Ī:	2 🗶		П	П	×
\rightarrow	-		\equiv		-									constructed, & used Warewashing facilities: installed, maintained,	ρ		\sqcup			
+	X				Proper hot holding temperatures	3 1.5 0			46		×			used; test strips		1 0.5	X		Ш	Ш
20	-	×		Ш	Proper cold holding temperatures	3 1.5		4	⊣⊢					Non-food contact surfaces clean		0.5	0			
21		X			Proper date marking & disposition	3 🗙 0		X		hysi		Faci	litie							
22			X		Time as a public health control: procedures & records	2 1 0			╝┝╌	3 🗵		Ш		Hot & cold water available; adequate pressure		2 1		님	ᆜ	Ľ
\neg	ons	ume		dvisc	Consumer advisory provided for raw or		1.	-1-	49	=	×			Plumbing installed; proper backflow devices		2 🗶	0		×	Ш
23	الا	<u> </u>	X	ntibi	undercooked foods .	1 0.5 0	اللا	<u> </u>	T⊢					Sewage & waste water properly disposed		2 1	0	Д		
л 24	gill)	y St □	ISCE	publ	e Populations .2653 Pasteurized foods used; prohibited foods not	3 1.5 0			51	I 🛛				Toilet facilities: properly constructed, supplied & cleaned		1 0.5	0			
C	hem	ical			offered .2653, .2657		السار		52	2 🗷				Garbage & refuse properly disposed; facilities maintained		1 0.5	0			
25			X		Food additives: approved & properly used	1 0.5 0			53	3 🗆	×			Physical facilities installed, maintained & clear	n Z	0.5	0		×	
26	×				Toxic substances properly identified stored, & used	210			54	1 🛛				Meets ventilation & lighting requirements;		1 0.5	0			



27 🗆 🗆 🗵

Conformance with Approved Procedures .2653, .2654, .2658

Compliance with variance, specialized process, reduced oxygen packing criteria or HACCP plan



Total Deductions: 8.5

Establishme	ent Name: META'S	RESTAURA	NT	Establishment ID: 3034010981						
City: WINS County: 34 Wastewater	System: 🗷 Municipal/	Community		em	Comment Adder	Re-Inspection dum Attached?	Date: 08/21/2015 Status Code: A Category #: IV			
Water Suppl Permittee:	y: 🔀 Municipal/ ALRISA LLC	Community	On-Site System		Email 2:					
Telephone	e: <u>(336)</u> 750-0811				Email 3:					
			Ter	mperature (Observations					
ltem baked	Location hot hold	Tem _l 180	o Item	Location	T€	emp Item	Location	Temp		
meat loaf	hot hold	170								
cabbage	hot hold	150	_							
pinto beans	hot hold	145	_							
potato salad	buffet	42	_							
salmon	cook temp	185								
hot water	3 comp	130								
2-201.11		Responsibi	lity of Perm	it Holder, Pers		Conditional Emplo s or 5 illnesses. CD				
Hardness the dish n	- P- Dish machine	sanitizer is rer. Repair	less than 5 the dish ma	50 ppm chloring achine to read	e. Sanitizer shall b 50 ppm. Sanitize a	-Temperature, pH, e provided at the p Ill dishes in the 3 co ays.	roper strength acc	ording to		
Person in Cha	rge (Print & Sign):	/ Meta	-irst	Poole	Last	AN				
Regulatory Au	thority (Print & Sigr	Dorio	-irst	Hogan	Last 🔾	Dies 1	bean (THE STATE OF THE S		

REHS ID: 1808 - Hogan, Doris

Verification Required Date: 02/31/2015

REHS Contact Phone Number: (336)703 - 3133



2



Establishment Name: META'S RESTAURANT Establishment ID: 3034010981

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



3-501.16 (A)(2) and (B) Potentially Hazardous Food (Time/Temperature Control for Safety Food), Hot and Cold Holding - P- 0 points- Pasta salad at 50F on the buffet. All cold foods are to be maintained at 45F or less. CDI- Items placed in metal pans to keep cold and temperature reduced to 38F.

- 3-501.17 Ready-To-Eat Potentially Hazardous Food (Time/Temperature Control for Safety Food), Date Marking. All items that are cooked and cooled (all meats, vegetables and side items), or are prepared on site (pasta salad, cucumber salad, potato salad, etc) will need to be properly marked with the preparation or discard date and can be held for 4 days after preparation. Repeat.
- 4-302.12 Food Temperature Measuring Devices PF- Facility does not have a food thermometer that is capable of testing cold temperatures only has a 50 to 550F thermometer. Facility shall have a food temperature measuring device that is readily accessible for use in ensuring attainment and maintenance of proper food temperatures. Repeat. Need a thermometer that is able to read 0 to220F.
- 4-501.11 Good Repair and Proper Adjustment-Equipment C- Two 2-door reach-ins, one small 1 door reach-in and one tall reach-in with glass top door all not working. Temporary domestic refrigerator is reading 60F. All refrigerators not working did not contain food, the domestic refrigerator is not to contain any potentially hazardous foods. Equipment shall be maintained in good repair. Owner stated that Rhino Refrigeration has been called. Verification required. These refrigerators are to be properly repaired within 10 days and the domestic refrigerator is to be removed from the premises./ Hood system is missing the filters. Replace filters to prevent grease from entering the main hood system.
- 4-501.14 Warewashing Equipment, Cleaning Frequency C- 0 points- The top of the dish machine needs additional cleaning around the doors. Warewashing equipment shall be cleaned before use, throughout the day to prevent recontamination of equipment and utensils and to ensure it function properly and at least every 24 hours.
- 5-205.15 System Maintained in Good Repair P- The only handsink in the kitchen leaks hot water and employees are turning off the water at the knob under the sink. The ladies restroom and the faucet at sanitizer vat (near the ice machine) leak hot water. The plumbing system shall be maintained in good repair. Verification required. The handsink in the kitchen must be properly repaired within 10 days. Repeat.
- 6-501.11 Repairing-Premises, Structures, Attachments, and Fixtures-Methods C- Floor tiles cracked, damaged or missing throughout the facility. Dry wall damaged throughout the facility. Facility shall be maintained in good repair. Replace/repair. Repeat



20



Establishment Name: META'S RESTAURANT Establishment ID: 3034010981

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: META'S RESTAURANT Establishment ID: 3034010981

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.





Establishment Name: META'S RESTAURANT Establishment ID: 3034010981

Observations and Corrective Actions

Violations cited in this report must be corrected within the time frames below, or as stated in sections 8-405.11 of the food code.



